

Conductor

TOLERANCE:

Tolerance of Cutting Tilt

Abbr.	TOLERANCE									
	P=0.5	P=0.8	P=1.0	P=1.25	P=2.54					
Р	±0.05	±0.08	±0.08	±0.10	±0.20					
Pt	±0.08	±0.10	±0.10	±0.15	+0.2 -0.4					
W	±0.12	±0.15	±0.15	±0.20	+0.2 -0.4					
М	±0.08	±0.12	±0.12	±0.20	±0.30					
Cw	±0.02	±0.03	±0.03	±0.03	±0.04					

 $(30\sim100)\pm3$, $(101\sim300)\pm5$, $(301\sim600)\pm10$, (Length more than 601mm) ±15 mm

	Dimension					
Ì	Ft±0.01	0.043				
Ì	St±0.01	0.223				

Quadrangle P/N	No. of	Dimension						Support					
(Description)	Conductor	P	Pt	L	W	M	Cw	Ct±0.01	S1±1.0	S2±1.0	d1±2.0	d2±2.0	Tape Color
QDP1.25-12C0051BD-T	12	1.25	13.75	_51_	<u>16.2</u> 5	1.25	0.8	0.035	_5_	_5_	10_	_10_	BLUE

UL Style

UL 20706 60 Volt; 105°C VW-1 RoHS Compliant

Support tape

Marking

No

Conductor Material

TIN

Units

mm



DWG BY: PT		DATE:8/22/19	DRAWINGS ARE NO				
CHK BY:		DATE:	ARE IN INCHES UN ALL TOLERAN				
APPR:		DATE:	OTHERWISE SPECIFIED				
REVISION HISTORY							
REV				DATE	APPROVED		
		New Drawing	J	8/22/2019	PT		

REVISION HISTORY						
REV		DATE	APPROVED			
	New Drawing	8/22/2019	PT			
		·				



Quadrangle Products Inc. 28 Harrison Ave Suite 105 Englishtown, NJ 07726

Tel: 732-792-1234
Fax: 732-792-8305

© Copyright 2006 Quadrangle Products Inc.

This document is confidential and proprietary to Quadrangle Products Inc. and shall not be reproduced, copied, used, or issued as the basis of manufacture or sale of equipment, material, or any other item. Quadrangle Products Inc. has the sole and exclusive ownership rights to this document and information contained herein.

QDP1.25-12C0051BD-T