

CN1	CN2	CN1	CN2
1	50	26	25
2	49	27	24
3	48	28	23
4	47	29	22
5	46	30	21
6	45	31	20
7	44	32	19
8	43	33	18
9	42	34	17
10	41	35	16
11	40	36	15
12	39	37	14
13	38	38	13
14	37	39	12
15	36	40	11
16	35	41	10
17	34	42	9
18	33	43	8
19	32	44	7
20	31	45	6
21	30	46	5
22	29	47	4
23	28	48	3
24	27	49	2
25	26	50	1

CN1 = IPEX 20453-050T-01 WITH PULL BAR


CN2 = IPEX 20453-050T-01 WITH PULL BAR

Wire = Small Gauge Coaxial Laminate AWG 40 UL1354

Length = "L" = 153mm +/- 5mm

**Notes:**

- 1- Shields of each coax to be terminated to CN1 & 2 connector shells.
- 2- Strain relieve wire and connectors



DWG BY: VB	DATE: 2/7/22	DRAWINGS ARE NOT TO SCALE. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED. ALL TOLERANCES ARE +/- 0.50" UNLESS OTHERWISE SPECIFIED
CHK BY: BS	DATE: 2/7/22	
APPR: -	DATE: -	

REVISION HISTORY			
REV		DATE	APPROVED
---	Initial Release	2/7/22	VB



Quadrangle Products Inc.

Quadrangle Products Inc. 28 Harrison Ave Suite 105, Englishtown, NJ 07726	Tel: 732-792-1234 Fax: 732-792-8305	<h2>SGC1114-6</h2>
<p>© Copyright 2006 Quadrangle Products Inc.          This document is confidential and proprietary to Quadrangle Products Inc. and shall not be reproduced, copied, used, or issued as the basis of manufacturing and/or sale of equipment, material, or any other item. Quadrangle Products Inc. has the sole and exclusive ownership rights to this document and information contained herein.</p>		