1	1	CN1 = IPEX 20846-030T
2	2	
3	3	CN2 = IPEX 20846-030T
4	4	RoHS
5	5	Wire = Small Guage Coaxial Laminate AWG 40 UL1354 compliant
6	6	Sale College C
7	7	Length = "L" = 153mm +/- 5mm
8	8	
9	9	Notes:
10	10	1- Shields of each coax to be terminated to CN1 & 2 connector shells.
11	11	2- Strain relieve wire and connectors
12	12	
13	13	
14	14	
15	15	
16	16	
17	17	CN1 Black Tape CN2
18	18	
	19	
	20	
	21	E i i i i i i i i i i i i i i i i i i i
22	22	[
23	23	B → B
14	24	
	25	
25	26	2.55
25 26	26	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
25 26 27	27	1
25 26		1

DWG BY: PT	DATE: 9/27/22	DRAWINGS ARE NOT TO SCALE. ALL DIMENSIONS ARE IN				
CHK BY:	DATE: 9/27/22	INCHES UNLESS OTHERWISE SPECIFIED. ALL TOLERANCES ARE +/- 0.50" UNLESS OTHERWISE				
APPR: -	DATE: 9/27/22	SPECIFIED				
REVISION HISTORY						

NEVISION INSTANT				
REV		DATE	APPROVED	
	Initial Release	9/27/22	PT	



Quadrangle Products Inc.

Quadrangle Products Inc. 28 Harrison Ave Suite 105, Englishtown, NJ 07726

Tel: 732-792-1234 Fax: 732-792-8305

© Copyright 2006 Quadrangle Products Inc.
This document is confidential and proprietary to Quadrangle Products
Inc. and shall not be reproduced, copied, used, or issued as the basis of
manufacturing and/or sale of equipment, material, or any other item.
Quadrangle Products Inc. has the sole and exclusive ownership rights
to this document and information contained herein.

SGC1117-6